

SANTÉ PUBLIQUE FRANCE DANS LES REVUES SCIENTIFIQUES

Dès le 13 janvier 2020, Santé publique France s'est organisée pour surveiller et répondre à l'épidémie de COVID-19 : coordination de la réponse, mise en place de système de surveillance multi-sources évolutif et d'enquêtes en continu, mobilisation de la réserve sanitaire, gestion des stocks stratégiques de l'établissement pharmaceutique.

Ce bulletin recense jusqu'à juin 2023 l'ensemble des publications portant sur la COVID-19 parues dans des revues à comité de lecture auxquelles Santé publique France a contribué en tant qu'auteur ou co-auteur avec son réseau de partenaires. Y sont également repris les quelques exemples de la rubrique « L'article du mois : 3 questions à », les articles parus dans le BEH, la revue à comité de lecture éditée par Santé publique France, et ceux publiés dans Santé en Action.

LES ARTICLES DU MOIS

L'article
du
MOIS

Chaque mois, un article de l'un de nos auteurs est sélectionné pour être présenté en tant qu'article du mois. Le sujet de l'étude est alors présenté sous forme de trois questions-réponses. Découvrez nos articles en lien avec la COVID-19 ci-dessous :

Juin 2020 :

[Cluster de COVID-19 dans les Alpes, France, Février 2020](#)

[Syndrome inflammatoire multi-systémique pédiatrique lié à SARS-CoV-2, étude épidémiologique, France, 1er mars-17 mai 2020](#)

Octobre 2020

[Stratégies de dépistage pour le contrôle de la COVID-19 dans les maisons de retraites : dépistage universel ou ciblé ?](#)

Janvier 2021

[Les déterminants des comportements de prévention dans le contexte de la pandémie de Covid-19 : le rôle respectif des facteurs socioculturels, psychosociaux et sociocognitifs](#)

Mars 2021

[Mise en évidence d'une circulation précoce du SARS-CoV-2 en France : résultats de la cohorte en population « Constances »](#)

Avril 2021

[Chaînes de transmission autour d'un cas importé de SARS-CoV2 variant B.1.351 en France métropolitaine, Janvier 2021](#)

Mai 2021

[Prévalence des anticorps anti-SARS-CoV-2 en France : résultats de la surveillance sérologique à l'échelle nationale](#)

Janvier 2022

[L'impact de la défavorisation sociale sur la dynamique d'infection au SARS-CoV-2 en France entre mai 2020 et avril 2021](#)

Février 2022

[Les premiers cas d'infection par Omicron en France présentent des symptômes bénins, Novembre 2021-Janvier 2022](#)

Février 2023

[Impact de la première vague d'épidémie de COVID-19 sur les hospitalisations et la mortalité pour 10 syndromes gériatriques en France métropolitaine](#)

Mars-avril 2023

[Vaccination contre le SARS-CoV-2 : efficacité du second rappel comparé au premier contre l'infection symptomatique par Omicron BA.2 et BA.4/5 en France et protection conférée par une infection antérieure à la vaccination](#)

REVUES INTERNATIONALES

13/02/2020-28/06/2023

Sont listés ci-dessous les articles scientifiques sur la COVID-19 parus dans des revues internationales et auxquels Santé publique France a contribué en tant qu'auteur ou coauteur*, en lien avec de nombreux partenaires. Ce bulletin sera mis à jour chaque année.

Les articles en Open access  sont accessibles directement. Pour les autres articles , est précisé le lien vers la revue avec le DOI de l'article.

2020



First cases of coronavirus disease 2019 (COVID-19) in France: surveillance, investigations and control measures, January 2020

Bernard Stoecklin S, Rolland P, Silue Y, Mailles A, Campese C, Simondon A, et al.

Euro Surveill. 2020-02-13;25(6):1-7.

[**LIRE L'ARTICLE**](#)



First cases of coronavirus disease 2019 (COVID-19) in the WHO European Region, 24 January to 21 February 2020

Spiteri G, Fielding J, Diercke M, Campese C, Enouf V, Gaymard A et al.

Euro Surveill. 2020-03-05;25(9):1-6.

[**LIRE L'ARTICLE**](#)



Excess cases of influenza-like illnesses synchronous with coronavirus disease (COVID-19) epidemic, France, March 2020

Boëlle P, Souty C, Launay T, Guerrisi C, Turbelin C, (...) Lévy-Bruhl Daniel, et al.

Euro Surveill. 2020-04-09;25(14):1-4.

[**LIRE L'ARTICLE**](#)

* Les noms des auteurs affiliés à Santé publique France figurent en rouge.

6

Clinical and virological data of the first cases of COVID-19 in Europe: a case series

Lescure F, Bouadma L, Nguyen D, Parisey M, Wicky P, (...) **Mailles A, et al.**

Lancet Infect Dis. 2020-06-01;20(6):697-706.

[LIRE L'ARTICLE](#)

6

High impact of COVID-19 in long-term care facilities, suggestion for monitoring in the EU/EEA, May 2020

Danis K, Fonteneau L, Georges S, Daniau C, **Bernard-stoecklin S, Domegan L, et al.**

Euro Surveill. 2020-06-04;25(22):1-5.

[LIRE L'ARTICLE](#)

6

SARS-CoV-2-related paediatric inflammatory multisystem syndrome, an epidemiological study, France, 1 March to 17 May 2020

Belot A, Antona D, Renolleau S, Javouhey E, Hentgen V, (...) **Lévy-Bruhl Daniel, et al.**

Euro Surveill. 2020-06-04;25(22):1-6.

[LIRE L'ARTICLE](#)

6

Covid-19 health crisis and lockdown associated with high level of sleep complaints and hypnotic uptake at the population level

Beck F, Léger D, Fressard L, Peretti-Watel P, Verger P, et al.

J Sleep Res. 2021 Feb;30(1):e13119.

[LIRE L'ARTICLE](#)

6

Excess all-cause mortality during the COVID-19 pandemic in Europe - preliminary pooled estimates from the EuroMOMO network, March to April 2020

Vestergaard L, Nielsen J, Richter L, Schmid D, Bustos N, (...) **Fouillet A, et al.**

Euro Surveill. 2020-07-02;25(26):1-6.

[LIRE L'ARTICLE](#)

6

Estimating the burden of SARS-CoV-2 in France

Salje H, Tran Kiem C, Lefrancq N, Courtejoie N, Bosetti P, **Paireau J, et al.**

Science. 2020-07-10;369(6500):208-211.

[LIRE L'ARTICLE](#)

6

A future vaccination campaign against Covid-19 at risk of vaccine hesitancy and politicization

The COCONEL Group, et al.

Lancet Infect Dis. 2020 Jul;20(7):769-770

[LIRE L'ARTICLE](#)

6

Cluster of coronavirus disease 2019 (Covid-19) in the French Alps, 2020, February 2020

Danis K, Epaulard O, Bénet T, Gaymard A, Campoy S, Bothelonevers E, et al.

Clin Infect Dis. 2020-08-01;71(15):825-832.

[LIRE L'ARTICLE](#)

6

Simultaneous dengue and COVID-19 epidemics: Difficult days ahead?

Nacher M, Douine M, Gaillet M, Flamand C, Rousset D, **Rousseau C, et al.**

PLoS Negl Trop Dis. 2020-08-14;14(8):1-8.

[LIRE L'ARTICLE](#)

6

Excess all-cause mortality during the first wave of the COVID-19 epidemic in France, March to May 2020

Fouillet A, Pontais I, Caserio-schönemann C.

Euro Surveill. 2020-08-27;25(34):1-7.

[LIRE L'ARTICLE](#)

6

Emergence of Kawasaki disease related to SARS-CoV-2 infection in an epicentre of the French COVID-19 epidemic: a time-series analysis

Ouldali N, Pouletty M, Mariani P, Beyler C, Blachier A, (...) **Kostas D, et al.**

Lancet Child Adolesc Health. 2020-09-01;4(9):662-668.

[LIRE L'ARTICLE](#)

6

A comparison of four serological assays for detecting anti-SARS-CoV-2 antibodies in human serum samples from different populations

Grzelak L, Temmam S, Planchais C, Demeret C, Tondeur L, (...) **Lemaitre Audrey, et al.**

Sci Transl Med. 2020-09-02;12(559):1-13.

[LIRE L'ARTICLE](#)

6

Racisme systémique et inégalités de santé, une urgence sanitaire et sociétale révélée par la pandémie COVID-19

Azria E, Sauvagrain P, Blanc J, Crenn-hebert C, Fresson J, Gelly M, et al.

Gynecol Obstet Fertil Senol. 2020-09-17;48(12):847-849.

[LIRE L'ARTICLE](#)

6

Anxiety, depression and sleep problems: a second wave of COVID-19

The COCONEL Group

Gen Psychiatr. 2020 Sep 22;33(5):e100299.

[LIRE L'ARTICLE](#)

6

The COVID-19 pandemic should not jeopardize dengue control

Olive M-M, Baldet T, Devillers J, Fite J, **Paty M-C, Paupy C, et al.**

PLoS Negl Trop Dis. 2020-09-23;14(9):1-7.

[LIRE L'ARTICLE](#)

6

Accuracy of emergency department clinical findings for diagnosis of coronavirus disease 2019

Peyrony O, Marbeuf-gueye C, Truong V, Giroud M, Rivière C, (...), **Tourdjman M, et al.**

Ann Emerg Med. 2020-10-01;76(4):405-412.

[LIRE L'ARTICLE](#)

6

The French public's attitudes to a future COVID-19 vaccine: The politicization of a public health issue

Ward J, **Alleaume C, Peretti-Watel P, Seror V, Cortaredona S, Launay O, et al.**

Soc Sci Med. 2020 Nov;265:113414.

[LIRE L'ARTICLE](#)

6

Lockdown impact on COVID-19 epidemics in regions across metropolitan France

Cauchemez S, Kiem C, **Paireau J, Rolland P, Fontanet A.**

Lancet. 2020-10-10;396(10257):1068-1069.

[LIRE L'ARTICLE](#)

Poor Sleep Associated with Overuse of Media during the COVID-19 Lockdown

Léger D, Beck F, Fressard L, Verger P, Peretti-Watel P, et al.

Sleep. 2020 Oct; 13;43(10):zsaa125.

[LIRE L'ARTICLE](#)

No evidence of SARS-CoV-2 transfusion-transmission despite RNA detection in blood donors showing symptoms after donation

Cappy P, Candotti D, Sauvage V, Lucas Q, Boizeau L, (...) Pillonel J, et al.

Blood. 2020-10-15;136(16):1888-1891.

[LIRE L'ARTICLE](#)

Multisystem inflammatory syndrome in children in the United States

Belot A, Levy-bruhl D.

N Engl J Med. 2020-10-29;383(18):1793-1796.

[LIRE L'ARTICLE](#)

SARS-CoV-2 in the Amazon region: a harbinger of doom for Amerindians

Ramírez J, Sordillo E, Gotuzzo E, Zavaleta C, Caplivski D, (...) Rousseau C, et al.

PLoS Negl Trop Dis. 2020-10-29;14(10):1-10.

[LIRE L'ARTICLE](#)

Determinants of preventive behaviors in response to the COVID-19 pandemic in France: comparing the sociocultural, psychosocial, and social cognitive explanations

Raude J, Lecrique JM, Lasbeur L, Leon C, Guignard R, Du Roscoät E, et al.

Front Psychol. 2020-11-30;11:1-15.

[LIRE L'ARTICLE](#)

Tobacco and COVID-19: a crisis within a crisis?

Alla F, Berlin I, Nguyen-thanh V, Guignard R, Pasquereau A, Quelet S, et al.

Can J Public Health. 2020-12-01;111(6):995-999.

[LIRE L'ARTICLE](#)

Early assessment of the impact of mitigation measures to control COVID-19 in 22 French metropolitan areas, October to November 2020

Spaccaferri G, Larrieu S, Pouey J, Calba C, Benet T, Sommen C, et al.

Euro Surveill. 2020-12-17;25(50):1-5.

[LIRE L'ARTICLE](#)

Underdetection of COVID-19 cases in France threatens epidemic control

Pullano G, Di Domenico L, Sabbatini C, Valdano E, Turbelin C, (...) Figoni J, et al.

Nature. 2020-12-21;1-23.

[LIRE L'ARTICLE](#)

8

The COVID-19 pandemic and global environmental change: emerging research needs

Barouki R, Kogevinas M, Audouze K, Belesova K, Bergman A, (...) Denys S, et al.

Environ Int. 2021-01-01;146:1-5.

[LIRE L'ARTICLE](#)

Attitudes about COVID-19 Lockdown among General Population, France, March 2020

Peretti-Watel P, Seror V, Cortaredona S, Launay O, Raude J, (...) Beck F, et al.

Emerg Infect Dis. 2021 Jan;27(1):301–3.

[LIRE L'ARTICLE](#)

Real-time monitoring shows substantial excess all-cause mortality during second wave of COVID-19 in Europe, October to December 2020

Nørgaard SK, Vestergaard LS, Nielsen J, Richter L, Schmid D, (...) Fouillet A, et al.

Euro Surveill. 2021-01-14;26(2):1-5.

[LIRE L'ARTICLE](#)

8

Do not neglect SARS-CoV-2 hospitalization and fatality risks in the middle-aged adult population

Lapidus N, Paireau J, Levy-bruhl D, De Lamballerie X, Severi G, Touvier M, et al.

Infect Dis Now. 2021-01-18;1-4.

[LIRE L'ARTICLE](#)

Impact of the lockdown on the burden of COVID-19 in outpatient care in France, spring 2020

Souty C, Guerrisi C, Masse S, Lina B, Van Der Werf S, Bernard-stoecklin S, et al.

Infect Dis (Lond). 2021-01-29;1-7.

[LIRE L'ARTICLE](#)

Association of intravenous immunoglobulins plus methylprednisolone vs immunoglobulins alone with course of fever in multisystem inflammatory syndrome in children

Ouldali N, Toubiana J, Antona D, Javouhey E, Madhi F, Lorrot M, et al.

JAMA. 2021-02-01;325(9):805-898.

[LIRE L'ARTICLE](#)

8

Beliefs and Risk Perceptions About COVID-19: Evidence From Two Successive French Representative Surveys During Lockdown

Attema AE, L'Haridon O, Raude J, Seror V; COCONEL Group.

Front Psychol. 2021 Feb 1;12:619145.

[LIRE L'ARTICLE](#)

COVID-19 vaccine hesitancy in a representative working-age population in France: a survey experiment based on vaccine characteristics

Schwarzinger M, Watson V, Arwidson P, Alla F, Luchini S.

Lancet Public Health. 2021-02-05;6(4):210-221.

[LIRE L'ARTICLE](#)

Evidence of early circulation of SARS-CoV-2 in France: findings from the population-based «CONSTANCES» cohort

Carrat F, Figoni J, Henny J, Desenclos JC, Kab S, De Lamballerie X, et al.

Eur J Epidemiol. 2021-02-06;36:219-222.

[LIRE L'ARTICLE](#)

8

8

8

Would we recover better sleep at the end of Covid-19? A relative improvement observed at the population level with the end of the lockdown in France

Beck F, Leger D, Cortaredona S, Verger P, Peretti-Watel P; COCONEL group.

Sleep Med. 2021 Feb;78:115-119.

[LIRE L'ARTICLE](#)

Incidence and risk factors of COVID-19-like symptoms in the French general population during the lockdown period: a multi-cohort study

Carrat F, Touvier M, Severi G, Meyer L, Jusot F, (...) Rahib D, et al.

BMC Infect Dis. 2021-02-10;21(1):1-13.

[LIRE L'ARTICLE](#)

Reopening schools in the context of increasing COVID-19 community transmission: The French experience

Gras-le Guen C, Cohen R, Rozenberg J, Launay E, Levy-bruhl D, Delacourt C.

Arch Pediatr. 2021-02-15;1-8.

[LIRE L'ARTICLE](#)

High impact of COVID-19 outbreak in a nursing home in the Nouvelle-Aquitaine region, France, March to April 2020

Bernadou A, Bouges S, Catroux M, Rigaux J, Laland C, Levêque N, et al.

BMC Infect Dis. 2021-02-22;21(1):1-6.

[LIRE L'ARTICLE](#)

Early assessment of diffusion and possible expansion of SARS-CoV-2 Lineage 20I/501Y. V1 (B.1.1.7, variant of concern 202012/01) in France, January to March 2021

Gaymard A, Bosetti P, Feri A, Destras G, Enouf V, Andronico A, et al.

Euro Surveill. 2021-03-04;26(9):1-6.

[LIRE L'ARTICLE](#)

The epidemiology of COVID 19 in the Amazon and the Guianas: similarities, differences, and International comparisons

Nacher M, Rousseau C, Succo T, Andrieu A, Gaillet M, Michaud C, et al.

Front Public Health. 2021-03-11;9:1-9.

[LIRE L'ARTICLE](#)

Evaluating the impact of curfews and other measures on SARS-CoV-2 transmission in French Guiana

Andronico A, Tran Kiem C, Paireau J, Succo T, Bosetti P, Lefrancq N, et al.

Nat Commun. 2021-03-12;12(1):1-8.

[LIRE L'ARTICLE](#)

Multisystem inflammatory syndrome associated with severe acute respiratory syndrome Coronavirus 2 in children: a case series from Mayotte island

Cattaneo C, Drean M, Subiros M, Combe P, Abasse S, Chamouine A, et al.

J Pediatric Infect Dis Soc. 2021-03-13;1-4.

[LIRE L'ARTICLE](#)

La crise sanitaire du Covid-19 et le confinement sont associés à un taux élevé de troubles du sommeil et de prise d'hypnotiques en France

Léger D, Beck F, Fressard L, Peretti-Watel P, Verger P.

Médecine du Sommeil 2021 March, 18(1):44.

[LIRE L'ARTICLE](#)

8

Coronavirus disease 2019 in French residential care facilities: a nationwide study

Belmin J, Georges S, Franke F, Daniau C, Cochet A, Durand C, et al.

J Am Med Dir Assoc. 2021-03-20;1-4.

[LIRE L'ARTICLE](#)

8

Screening around a COVID-19 cluster: Exploring its impact on a local virus outbreak

Gault G, Monpierre O, Carion G, Rispal P, Royer H, Lafon, et al.

Infect Dis Now. 2021-03-26;1-11.

[LIRE L'ARTICLE](#)

8

Linked transmission chains of imported SARS-CoV-2 variant B.1.351 across mainland France, January 2021

Calba C, Zhu-Soubise A, Mahdjoub-Assaad S, Villegas-Ramirez B, Tarantola A, Barataud D et al.

Euro Surveill. 2021-04-01, 1-7.

[LIRE L'ARTICLE](#)

8

Changes in smoking and alcohol consumption during COVID-19-related lockdown: a cross-sectional study in France

Guignard R, Andler R, Quatremère G, Pasquereau A, Du Roscoät E, Arwidson P, et al.

Eur J Public Health. 2021-04-07;1-26.

[LIRE L'ARTICLE](#)

8

When lockdown policies amplify social inequalities in COVID-19 infections: evidence from a cross-sectional population-based survey in France

Bajos N, Juso F, Pailhé A, Spire A, Martin C, (...) Lydié N, et al.

BMC Public Health. 2021-04-12;21(1):1-10.

[LIRE L'ARTICLE](#)

8

Emergency department admissions for myocardial infarction and stroke in France during the first wave of the COVID-19 pandemic: national temporal trends and regional disparities

Olié V, Carcaillon-bentata L, Thiam M, Haeghebaert S, Caserio-schönemann C.

Arch Cardiovasc Dis. 2021-04-14;1-10.

[LIRE L'ARTICLE](#)

8

Impact of January 2021 curfew measures on SARS-CoV-2 B.1.1.7 circulation in France

Di Domenico L, Sabbatini C, Pullano G, Lévy-bruhl D, Colizza V.

Euro Surveill. 2021-04-15;26(15):1-6.

[LIRE L'ARTICLE](#)

8

Have health inequities, the COVID-19 pandemic and climate change led to the deadliest heatwave in France since 2003?

Pascal M, Lagarrigue R, Laaidi K, Boulanger G, Denys S.

Public Health. 2021-04-21;194:143-145.

[LIRE L'ARTICLE](#)

8

COVID-19 vaccine hesitancy among persons living in homeless shelters in France

Longchamps C, Ducarroz S, Crouzet L, Vignier N, Pourtau L, Allaire C, et al.

Vaccine. 2021-05-12;39(25):3315-3318.

[LIRE L'ARTICLE](#)

6

Prevalence of SARS-CoV-2 antibodies in France: results from nationwide serological surveillance

Le Vu S, Jones G, Anna F, Rose T, Richard J, Bernard-stoecklin S, et al.

Nat Commun. 2021-05-21;12(1):1-7.

[LIRE L'ARTICLE](#)

6

Psychological support in general population during the COVID-19 lockdown in France: Needs and access

Alleaume C, Verger P, Peretti-Watel P; COCONEL Group.

PLoS One. 2021 May 20;16(5):e0251707.

[LIRE L'ARTICLE](#)

6

Early acceptability of a mobile app for contact tracing in the COVID-19 pandemic: French national online survey

Touzani R, Schultz E, Holmes S, Vandendorren S, Arwidson P, Guillemin F, et al.

Mhealth Uhealth. 2021-05-27;1-29.

[LIRE L'ARTICLE](#)

6

Influence of age on the spread of SARS-CoV-2 variant B.1.1.7

Dimeglio C, Nicot F, Miedougé M, Chappert J, Donnadieu C, Izopet J.

J Clin Virol. 2021-05-27;141:1-3.

[LIRE L'ARTICLE](#)

6

Evolution of outcomes for patients hospitalised during the first 9 months of the SARS-CoV-2 pandemic in France: a retrospective national surveillance data analysis

Lefrancq N, Paireau J, Hozé N, Courtejoie N, Yazdanpanah Y, Bouadma L, et al.

Lancet Reg Health Eur. 2021-06-01;5:1-9.

[LIRE L'ARTICLE](#)

6

Lockdown as a last resort option in case of COVID-19 epidemic rebound: a modelling study

Tran Kiem C, Crépey P, Bosetti P, Levy-Bruhl D, Yazdanpanah Y, Salje H, et al.

Euro Surveill. 2021-06-03;26(22):1-11.

[LIRE L'ARTICLE](#)

6

Exposures associated with SARS-CoV-2 infection in France: a nationwide online case-control study

Galmiche S, Charmet T, Schaeffer L, Paireau J, Grant R, Chény O, et al.

Lancet Reg Health Eur. 2021-06-07;7:1-8.

[LIRE L'ARTICLE](#)

6

Covid-19 lockdown in spring 2020 in France provided unexpected opportunity to assess health impacts of falls in air pollution

Adélaïde L, Medina S, Wagner V, De Crouy-chanel P, Real E, Colette A, et al.

Front. Sustain. Cities. 2021-06-10;3:1-17.

[LIRE L'ARTICLE](#)

6

Cold and dry winter conditions are associated with greater SARS-CoV-2 transmission at regional level in western countries during the first epidemic wave

Landier J, Paireau J, Rebaudet S, Legendre E, Lehot L, Fontanet A, et al.

Sci Rep. 2021-06-17;11(1):12756.

[LIRE L'ARTICLE](#)

Characteristics, Management, and Case-Fatality of Patients Hospitalized for Stroke with a Diagnosis of COVID-19 in France

Gabet A, Grave C, Chatignoux E, Tuppin P, Béjot Y, Olié V.

Neuroepidemiology. 2021-06-24;55(4):1-7.

[LIRE L'ARTICLE](#)

Impact of original, B.1.1.7, and B.1.351/P.1 SARS-CoV-2 lineages on vaccine effectiveness of two doses of COVID-19 mRNA vaccines: Results from a nationwide case-control study in France

Charmet T, Schaeffer L, Grant R (...), Septfons A (...), Mailles A, Levy-bruhl D, et al.

Lancet Reg Health Eur. 2021-07-13;8:100171.

[LIRE L'ARTICLE](#)

A modelling study investigating short and medium-term challenges for COVID-19 vaccination: From prioritisation to the relaxation of measures

Tran Kiem C, Massonnaud C, Levy-bruhl D, Poletto C (...), Gabet A, Olié V, et al.

EClinicalMedicine. 2021-07-14;38:101001.

[LIRE L'ARTICLE](#)

Antibody status and cumulative incidence of SARS-CoV-2 infection among adults in three regions of France following the first lockdown and associated risk factors: a multicohort study

Carrat F, De Lamballerie X, Rahib D, Blanché H, Lapidus N (...), Lydié N, et al.

Int J Epidemiol. 2021;50(5):1458-1472.

[LIRE L'ARTICLE](#)

Correlates of intended COVID-19 vaccine acceptance across time and countries: results from a series of cross-sectional surveys

Kerr J, Schneider C, Recchia G, Dryhurst S, Sahlin U (...), Arwidson P, et al.

BMJ Open. 2021-08-02;11(8):1-27.

[LIRE L'ARTICLE](#)

Atrial Fibrillation in Spontaneous Intracerebral Hemorrhage, Dijon Stroke Registry (2006-2017)

Gabet A, Olié V, Béjot Y.

J Am Heart Assoc. 2021-09-01;10(17):e020040.

[LIRE L'ARTICLE](#)

Burden of COVID-19 on workers in hospital settings: The French situation during the first wave of the pandemic

Colomb-Cotinat M, Poujol I, Monluc S, Vaux S (...), Le Vu S (...), Berger-Carbonne A.

Infect Dis Now. 2021 Sep;51(6):560-563.

[LIRE L'ARTICLE](#)

Impact of COVID-19 social distancing on viral infection in France: A delayed outbreak of RSV

Delestrain C, Danis K, Hau I, Behillil S, Billard M, Krajen L, et al.

Pediatr Pulmonol. 2021 Dec;56(12):3669-3673.

[LIRE L'ARTICLE](#)

African National Public Health Institutes Responses to COVID-19: Innovations, Systems Changes, and Challenges

Binder S, Ario A, Hien H, Mayet N, Jani I, (...) Viso A, et al.

Health Secur. 2021-09-08;19(5):1-10.

[LIRE L'ARTICLE](#)

8

Decreasing proportion of extended-spectrum beta-lactamase among *E. coli* infections during the COVID-19 pandemic in France

Lemenand O, Coeffic T, Thibaut S, **Colomb Cotinat M**, Caillon J, et al.

J Infect. 2021 Dec;83(6):664-670.

[LIRE L'ARTICLE](#)

8

Quantifying healthcare and welfare sector workers' preferences around COVID-19 vaccination: a cross-sectional, single-profile discrete-choice experiment in France

Díaz Luévano C, Sicsic J, Pellissier G, Chyderiotis S, **Arwidson P**, Olivier C, et al.

BMJ Open. 2021-10-04;11(10):1-14.

[LIRE L'ARTICLE](#)

8

Superspreading events of SARS-CoV-2 in Paris: A retrospective analysis of data from the first wave of COVID-19 in 2020

Deslandes A, **Calba C**, Mahdjoub S, **Zhu-Soubise A**, Mathey D, Ardoin A.

J Infect Public Health. 2021 Oct 6;14(11):1733-1738.

[LIRE L'ARTICLE](#)

8

A new SARS-CoV-2 variant poorly detected by RT-PCR on nasopharyngeal samples, with high lethality: an observational study

Fillâtre P, Dufour M, Behillil S, Vatan R, Reusse P, (...) **Gagniere B**, et al.

Clin Microbiol Infect. 2021-10-07;1-71.

[LIRE L'ARTICLE](#)

8

COVID-19 hotspots through clusters analysis in France (may-October 2020): where should we track the virus to mitigate the spread?

Spaccaferri G, **Calba C**, Vilain P, Garras L, Durand C, Pilorget C, et al.

BMC Public Health. 2021-10-11;21(1):1-7.

[LIRE L'ARTICLE](#)

8

A cross-sectional analysis of meteorological factors and SARS-CoV-2 transmission in 409 cities across 26 countries

Sera F, Armstrong B, Abbott S, Meakin S, O'Reilly K, (...) **Pascal M**, et al.

Nat Commun. 2021 Oct 13;12(1):5968.

[LIRE L'ARTICLE](#)

8

Identification of Workers at Increased Risk of Infection During a COVID-19 Outbreak in a Meat Processing Plant, France, May 2020

Mallet Y, Pivette M, Revest M, Angot E, Valence M, Dupin C, et al.

Food Environ Virol. 2021 Dec;13(4):535-543.

[LIRE L'ARTICLE](#)

8

Why we need to integrate mental health into pandemic planning

Brewin C, Depierro J, **Pirard P**, Vazquez C, Williams R.

Perspect Public Health. 2020-10-17;140(6):309-310.

[LIRE L'ARTICLE](#)

8

Effect of change in vaccine schedule on pertussis epidemiology in France: a modelling and serological study

Paireau J, Guillot S, **Aït El Belghiti F**, Matczak S, Trombert-Paolontoni S, Jacomo V, et al.

The Lancet Infectious Diseases 2021-10-18, 1-9.

[LIRE L'ARTICLE](#)

Social inequalities and dynamics of the early COVID-19 epidemic: a prospective cohort study in France

Bajos N, Counil E, Franck J, Jusot F, Pailhé A (...) **Lydie N**, et al.

BMJ Open. 2021;11(11):e053201.

[LIRE L'ARTICLE](#)

Children's mental and behavioral health, schooling, and socioeconomic characteristics during school closure in France due to COVID-19: the SAPRIS project

Monnier M, Moulin F, Thierry X, **Vandendorren S**, Côté S, Barbosa S, et al.

Sci Rep. 2021;11(1):22373.

[LIRE L'ARTICLE](#)

Seroprevalence of anti-SARS-CoV-2 antibodies after the first wave of the COVID-19 pandemic in a vulnerable population in France: a cross-sectional study

Beaumont A, Durand C, Ledrans M, Schwoebel V, Noel H, Le Strat Y, et al.

BMJ Open 2021;11:e053201.

[LIRE L'ARTICLE](#)

Age, COVID-19-like symptoms and SARS-CoV-2 seropositivity profiles after the first wave of the pandemic in France

Carrat F, Lapidus N, Ninove L, Blanché H, **Rahib D**, Saba Villarroel P, et al.

Infection. 2022 Feb;50(1):257-262.

[LIRE L'ARTICLE](#)

Impact of SARS-CoV-2 Delta variant on incubation, transmission settings and vaccine effectiveness: Results from a nationwide case-control study in France

Grant R, Charmet T, Schaeffer L, Galmiche S, Madec Y, (...) **Paireau J**, et al.

Lancet Reg Health Eur. 2021 Nov 26;100278.

[LIRE L'ARTICLE](#)

Prevalence and determinants of Transient Congenital Hypothyroidism in children with Eutopic Gland in France: a retrospective cohort study

Barry Y, Mandereau-Bruno L, Bonaldi C, Cheillan D, Coutant R, Léger J, et al.

J Clin Endocrinol Metab. 2021;dgab854.

[LIRE L'ARTICLE](#)

Co-infection with legionella and SARS-cov-2, france, march 2020

Allam C, Gaymard A, Descours G, Ginevra C, Josset L, (...) **Campèse C**, et al.

Emerg Infect Dis. 2021;27(11):2864-2868.

[LIRE L'ARTICLE](#)

Impact of the SARS-CoV-2 pandemic and first lockdown on pregnancy monitoring in France: the COVIMATER cross-sectional study

Doncarli A, Araujo-Chaveron L, Crenn-Hebert C, **Demiguel V**, Boudet-Berquier J, Barry Y, et al.

BMC Pregnancy Childbirth. 2021 Nov 30;21(1):799.

[LIRE L'ARTICLE](#)

Myocardial infarction throughout 1 year of the COVID-19 pandemic: French nationwide study of hospitalization rates, prognosis and 90-day mortality rates

Grave C, Gabet A, Puymirat E, Empana JP, Tuppin P, Danchin N, et al.

Arch Cardiovasc Dis. 2021 Dec;114(12):768-780.

[LIRE L'ARTICLE](#)

Are People Optimistically Biased about the Risk of COVID-19 Infection? Lessons from the First Wave of the Pandemic in Europe

McColl K, Debin M, Souty C, Guerrisi C, Turbelin C, (...) **Bonmarin I**, et al.

Int J Environ Res Public Health. 2021 Dec 31;19(1):436

[LIRE L'ARTICLE](#)

Adherence and sustainability of interventions informing optimal control against the COVID-19 pandemic

Di Domenico L, Sabbatini CE, Boëlle PY, Poletto C, Crépey P, Paireau J, et al.

Commun Med (Lond). 2021 Dec 6;1:57.

[LIRE L'ARTICLE](#)

2022

The social specificities of hostility toward vaccination against Covid-19 in France

Bajos N, Spire A, Silberzan L, **EPICOV study group** (2022).

PLoS One. 2022 Jan 6;17(1):e0262192.

[LIRE L'ARTICLE](#)

Impact of booster vaccination on the control of COVID-19 Delta wave in the context of waning immunity: application to France in the winter 2021/22

Bosetti P, Tran Kiem C, Andronico A, **Paireau J, Levy-Bruhl D, Alter L**, et al.

Euro Surveill. 2022 Jan;27(1):2101125.

[LIRE L'ARTICLE](#)

COVID-19 outbreaks in nursing homes: A strong link with the coronavirus spread in the surrounding population, France, March to July 2020

Rabilloud M, Riche B, Etard J, Elsensohn M, Voirin N, **Bénet T**, et al.

PLoS One. 2022;17(1):1-11

[LIRE L'ARTICLE](#)

Prevalence of SARS-CoV-2 antibodies and living conditions: the French national random population-based EPICOV cohort

Warszawski J, Beaumont A, Seng R, De Lamballerie X, **Rahib D, Lydié N**, et al.

BMC Infect Dis. 2022;22(1):1-13

[LIRE L'ARTICLE](#)

Longitudinal survey on the Psychological Impact of the COVID-19 Pandemic in Healthcare Workers (PsyCOVer) in France: study protocol

Bertuzzi L, El Aarbaoui T, Heron M, Gosselin A, Roy-de-lachaise L, (...) **Vandendorren S**, et al.

BMJ Open. 2022;12(1):1-8

[LIRE L'ARTICLE](#)

A Community Outbreak of Legionnaires' Disease with Two Strains of *L. pneumophila* Serogroup 1 Linked to an Aquatic Therapy Centre

Rousseau C, Ginevra C, **Simac L, Fiard N, Vilhes K, Ranc AG**, et al.

Int J Environ Res Public Health. 2022 Jan 20;19(3):1119

[LIRE L'ARTICLE](#)

Initial risk perception and feeling of preparedness of primary care physicians regarding the COVID-19 pandemic in Belgium, France and Spain in February 2020

Guerrisi C, Thomas B, Ordax Diez A, Van Cauteren D, Lozano Alonso J E, Moreels S, et al.

BMC Prim Care. 2022 Jan 23;23(1):18.

[LIRE L'ARTICLE](#)

Low rate of RNAemia in blood donations collected during the first wave of COVID-19 in France

Le Cam S, Gallian P, Ricard C, Narboux C, Barlet V, Maugard C, et al.

Transfusion. 2022 Mar;62(3):633-640.

[LIRE L'ARTICLE](#)

A simple method for SARS-CoV-2 RNA detection in the air of an enclosed space

Capeyron O, Squinazi F, Dumoulin P, Destras G, Dorin J, Dalmasso M, et al.

Journal of Hospital Infection 119, Jan 2022, 199-200

[LIRE L'ARTICLE](#)

Investigation of outbreak cases infected with the SARS-CoV-2 B.1.640 variant in a fully vaccinated elderly population, Normandy, France, November to December 2021

Mastrovito B, Naimi C, Kouam L, Naudot X, Fournier L, Spaccaferri G, et al.

Euro Surveill. 2022;27(6):pii=2200078

[LIRE L'ARTICLE](#)

Early chains of transmission of COVID-19 in France, January to March 2020

Paireau J, Mailles A, Eisenhauer C, de Laval F, Delon F, Bosetti P, et al.

Euro Surveill. 2022 Feb;27(6):2001953.

[LIRE L'ARTICLE](#)

Syndromic surveillance: A key component of population health monitoring during the first wave of the COVID-19 outbreak in France, February-June 2020

Thiam MM, Pontais I, Forgeot C, Pedrono G; SurSaUD® Regional Focal Point; SOS Médecins, et al.

PLoS One. 2022 Feb 10;17(2):e0260150

[LIRE L'ARTICLE](#)

Impact of the early 2020 COVID-19 crisis and lockdown on PrEP use among men who have sex with men (MSM) in France

Di Ciaccio M, Villes V, Michels D, Morel S, Delabre RM, Rojas Castro D, Velter A.

Sex Transm Infect. 2022 Feb 11:sextrans-2021-055189

[LIRE L'ARTICLE](#)

Impact of SARS-CoV-2 Delta variant on incubation, transmission settings and vaccine effectiveness: Results from a nationwide case-control study in France

Grant R, Charmet T, Schaeffer L, Galmiche S, Madec Y, (...) Septfons A, et al.

Lancet Reg Health Eur. 2022 Feb;13:100278.

[LIRE L'ARTICLE](#)

Impact of COVID-19 Pandemic on Men Who Have Sex With Men That Practice Chemsex in France: Results From the National ERAS Web Survey

Roux P, Donadille C, Girard G, Spire B, Protière C, Velter A.

Am J Mens Health. 2022 Jan-Feb;16(1):15579883211073225

[LIRE L'ARTICLE](#)

8

Regional health care profiles - an improved method for generating case studies on the catchment areas of envisaged primary health care units in Austria: a report to the InfAct Joint Action

Mathis-Edenhofer S, Röthlin F, Wachabauer D, **Haneef R**, Ventura I, Fülop G, et al.

Arch Public Health. 2022 Feb 14;80(1):50.

[LIRE L'ARTICLE](#)

A new SARS-CoV-2 variant with high lethality poorly detected by RT-PCR on nasopharyngeal samples: an observational study

Fillâtre P, Dufour M, Behillil S, Vatan R, Reusse P, (...) **Gagniere B**, et al.

Clin Microbiol Infect. 2022 Feb;28(2):298.e9-298.e15.

[LIRE L'ARTICLE](#)

The effect of social deprivation on the dynamic of SARS-CoV-2 infection in France: a population-based analysis

Vandendorren S, Smaili S, Chatignoux E, Maurel M, Alleaume C, Neufcourt L, et al.

Lancet Public Health. 2022 Mar;7(3):e240-e249

[LIRE L'ARTICLE](#)

8

Alcohol and Tobacco Use After One Month of Containment Measures for the COVID-19 Sanitary Crisis in France

Beck, F, Legleye, S, Peretti-Watel P.
J Stud Alcohol Drugs. 2022;83(2):169-174.

[LIRE L'ARTICLE](#)

One Year Prevalence of Venous Thromboembolism in Hospitalized COVID-19 Patients in France: Patients' Characteristics, Time Trends, and Outcomes

Gabet A, Grave C, Tuppin P, Olié V, Emmerich J.

Thromb Haemost. 2022 Sep;122(9):1532-1541.

[LIRE L'ARTICLE](#)

8

Agent-based modelling of reactive vaccination of workplaces and schools against COVID-19

Faucher B, Assab R, **Roux J, Levy-Bruhl D, Tran Kiem C, Cauchemez S**, et al.

Nat Commun. 2022 Mar 17;13(1):1414.

[LIRE L'ARTICLE](#)

8

Emotional and attention-deficit/hyperactivity disorder symptoms of preterm vs. full-term children during COVID-19 pandemic restrictions

Bailhache M, Monnier M, Moulin F, Thierry X, **Vandendorren S, Côté S**, et al.
Pediatr Res. 2022 Dec;92(6):1749-1756.

[LIRE L'ARTICLE](#)

Higher risk, higher protection. COVID-19 risk among immigrants in France: results from the population-based EpiCov survey

Gosselin A, Warszawski J, Bajos N; **EpiCov Study Group.**

Eur J Public Health. 2022 Aug 1;32(4):655-663.

[LIRE L'ARTICLE](#)

8

Predictors of Uncertainty and Unwillingness to Receive the COVID-19 Vaccine in Men Who Have Sex with Men in France

Ousseine Y.M, Vaux S, Vandendorren S, Bonmarin I, Champenois K, Lydié N, Velter A.

Int J Environ Res Public Health. 2022 Apr 28;19(9):5372.

[LIRE L'ARTICLE](#)

Pregnant women's unmet need to communicate with a health professional during the SARS-CoV-2 pandemic lockdown in France: The Covimater cross-sectional study

Araujo-chaveron L, **Doncarli A**, Crenn-hebert C, **Demiguel V**, Boudet-berquier J, **Barry Y**, et al.

PLoS One. 2022-04-28;17(4):e0266996.

[LIRE L'ARTICLE](#)

COVID-19 epidemic in remote areas of the French Amazon, March 2020 to May 2021: Another reality

Epelboin L, **Succo T**, Michaud C, Oberlis M, Bidaud B, Naudion P, Dudognon L, et al.

Rev Soc Bras Med Trop. 2022 Apr 29;55:e02742021.

[LIRE L'ARTICLE](#)

Child defenestration: An unexpected collateral effect of the first COVID-19 lockdown!

Chaffard-luçon M, Beltzer N, Rigou A, Claudet I.

Arch Pediatr. 2022 Apr;29(3):249-252.

[LIRE L'ARTICLE](#)

Social conformism and confidence in systems as additional psychological antecedents of vaccination: a survey to explain intention for COVID-19 vaccination among healthcare and welfare sector workers, France, December 2020 to February 2021

Moirangthem S, Olivier C, Gagneux-brunon A, Pélliéssier G, Abiteboul D, **Bonmarin I**, et al.

Euro Surveill. 2022 Apr;27(17):2100617.

[LIRE L'ARTICLE](#)

Effectiveness of mRNA BNT162b2 COVID-19 vaccine against SARS-CoV-2 Delta variant among elderly residents from a long-term care facility, South of France, May 2021

Sánchez Ruiz M, Adonias G, Robaglia-schlupp A, Rapilly F, Chabert M, **Ramalli L**, et al.

Eur Rev Med Pharmacol Sci. 26(7):2586-2591.

[LIRE L'ARTICLE](#)

Perception of the SARS-CoV-2 pandemic by pregnant women during the first lockdown in France: worry, perceived vulnerability, adoption and maintenance of prevention measures according to the Covimater study

Araujo-Chaveron L, **Doncarli A**, Vivanti AJ, Salanave B, **Lasbeur L**, **Gorza M**, et al.

Prev Med Rep. 2022 Apr 26:101807.

[LIRE L'ARTICLE](#)

Hyper inflammatory syndrome following COVID-19 mRNA vaccine in children: A national post-authorization pharmacovigilance study

Ouldali N, Bagheri H, Salvo F, **Antona D**, Pariente A, Leblanc C, et al.

Lancet Reg Health Eur. 2022 Apr 29:100393.

[LIRE L'ARTICLE](#)

Nationwide Initiation of Cardiovascular Risk Treatments During the COVID-19 Pandemic in France: Women on a Slippery Slope?

Gabet A, **Grave, C**, Tuppin P, Lesuffleur T, Guenancia C, **Nguyen-Thanh V**, et al.

Frontiers in Cardiovascular Medicine, 9, art. no. 856689.

[LIRE L'ARTICLE](#)

An ensemble model based on early predictors to forecast COVID-19 health care demand in France

Paireau J, Andronico A, Hozé N, Layan M, Crépey P, Roumagnac A, et al.

Proc Natl Acad Sci U S A. 2022 May 3;119(18):e2103302119

[LIRE L'ARTICLE](#)



Seroprevalence of SARS-CoV-2 IgG Antibodies and Factors Associated with SARS-CoV-2 IgG Neutralizing Activity among Primary Health Care Workers 6 Months after Vaccination Rollout in France

Decarreaux D, Pouquet, M, Souty C, Vilcu AM, Prévot-Monsacre P (...) **Noël H**, et al.

Viruses. 2022 May 3;14(5):957.

[LIRE L'ARTICLE](#)



Burden of Disease of COVID-19: Strengthening the Collaboration for National Studies

Pires SM, Wyper GMA, Wengler A, Peñalvo JL, **Haneef R**, Moran D, et al.

Front Public Health. 2022 Jun 3;10:907012.

[LIRE L'ARTICLE](#)



Association between the COVID-19 pandemic and pertussis derived from multiple nationwide data sources, France, 2013 to 2020

Matczak S, Levy C, **Fortas C**, Cohen J, Béchet S, **Aït El Belghiti F**, et al.

Euro Surveill. 2022 Jun;27(25):2100933.

[LIRE L'ARTICLE](#)



Outpatient Antibiotic Prescriptions in France: Patients and Providers Characteristics and Impact of the COVID-19 Pandemic

Bara W, Brun-buisson C, Coignard B, Watier L.

Antibiotics (Basel). 2022 May 11;11(5):643.

[LIRE L'ARTICLE](#)



Longitudinal impact of psychosocial status on children's mental health in the context of COVID-19 pandemic restrictions

Moulin F, Bailhache M, Monnier M, Thierry X, **Vandendorren S**, Côté SM, et al.

Eur Child Adolesc Psychiatry. 2022 Jun 2:1–10.

[LIRE L'ARTICLE](#)



Comparing the age and sex trajectories of SARS-CoV-2 morbidity and mortality with other respiratory pathogens

Metcalf J, **Paireau J**, O'Driscoll M, **Pivette M**, Hubert B, Pontais I, et al.

R Soc Open Sci. 2022 Jun 15;9(6):211498.

[LIRE L'ARTICLE](#)



Association of Nonpharmaceutical Interventions During the COVID-19 Pandemic With Invasive Pneumococcal Disease, Pneumococcal Carriage, and Respiratory Viral Infections Among Children in France

Rybak A, Levy C, Angoulvant F, Aufrignon A, Gembara P, **Danis K**, et al.

JAMA Netw Open. 2022;5(6):e2218959.

[LIRE L'ARTICLE](#)



Bronchiolitis epidemics in France during the SARS-CoV-2 pandemic: the 2020-2021 and 2021-2022 seasons

Vaux S, Viriot D, Forgeot C, Pontais I, Savitch Y, Barondeau-Leuret A, et al.

Infect Dis Now. 2022 Jun 23:S2666-9919(22)00119-1.

[LIRE L'ARTICLE](#)

8

Severe hospital events following symptomatic infection with Sars-CoV-2 Omicron and Delta variants in France, December 2021–January 2022: A retrospective, population-based, matched cohort study

Auvigne V, Vaux S, Le Strat Y, Schaeffer J, Fournier L, Tamandjou C, Montagnat C, et al.

EClinicalMedicine. 2022 Jun;48:101455.

[LIRE L'ARTICLE](#)

Children and Adolescents Psychological Distress Scale During COVID-19 Pandemic: Validation of a Psychometric Instrument (CONFEADO Study)

De Stefano C, Laurent I, Kaindje-fondjo V, Estevez M, Habran E, (...) Khireddine I, et al.

Front Psychiatry. 2022-08-08;13:843104.

[LIRE L'ARTICLE](#)

The association of COVID-19 incidence with temperature, humidity, and UV radiation - A global multi-city analysis

Nottmeyer L, Armstrong B, Lowe R, Abbott S, Meakin S, (...) Pascal M, et al.

Sci Total Environ. 2022-09-07;854:158636.

[LIRE L'ARTICLE](#)

Sommeil en temps de pandémie : enseignements pour la prise en charge de l'insomnie

Léger D, Taieb J, Pitron V, Griffon L, Beck F.

La Revue du Praticien, 2022 Jun;72(6):657-663.

[LIRE L'ARTICLE](#)

Incidence of PTSD in the French population a month after the COVID-19 pandemic-related lockdown: evidence from a national longitudinal survey

Alleaume C, Peretti-Watel P, Beck F, Leger D, Vaiva G, Verger P, et al.

BMC Public Health. 2022 Aug 5;22(1):1500.

[LIRE L'ARTICLE](#)

The Challenge of Reaching Undocumented Migrants with COVID-19 Vaccination

Matlin S, Smith A, Merone J, Levoy M, Shah J, Vanbiervliet F, et al.

Int. J. Environ. Res. Public Health 2022, 19, 9973.

[LIRE L'ARTICLE](#)

Epidemiological profile of COVID-19 in the French overseas department Mayotte, 2020 to 2021

Subiros M, Robert De Latour C, Parenton F, Soulaimana I, Hassani Y, Blondé R, et al.

Euro Surveill. 2022;27(34):pii=2100953.

[LIRE L'ARTICLE](#)

The association of COVID-19 incidence with temperature, humidity, and UV radiation - A global multi-city analysis

Nottmeyer L, Armstrong B, Lowe R, Abbott S, Meakin S, (...) Pascal M, et al.

Sci Total Environ. 2022-09-07;854:158636.

[LIRE L'ARTICLE](#)

SARS-CoV-2 and post-donation information: a one-year experience of the French haemovigilance network

Cappy P, Legrain-Jbilou S, Chabli L, N'Debi M, Gallian P, (...) Pillonel J, et al.

Blood Transfus. 2022 Sep;20(5):362-373.

[LIRE L'ARTICLE](#)

Dynamics of SARS-CoV-2 lineages in French Guiana in 2020-2021: 4 epidemic waves with cross-influences from Europe and South America

Miliu A, Lavergne A, Succo T, Laizé C, Andrieu A, Enfissi A, et al.

Infect Genet Evol. 2022-09-30;105:105370.

[LIRE L'ARTICLE](#)

Hospitalization for COVID-19 is associated with a higher risk of subsequent hospitalization for psychiatric disorders: a French nationwide longitudinal study comparing hospitalizations for COVID-19 and for other reasons

Decio V, Pirard P, Pignon B, Bouaziz O, Perduca V, Chin F, et al.

Eur Psychiatry. 2022 Oct 21:1-44.

[LIRE L'ARTICLE](#)

Epidemiology of acute gastroenteritis in France from November 2019-August 2021, in light of reported adherence to COVID-19 barrier measures

Nisavanh A, Horrigue I, Debin M, Turbelin C, Kengne-Kuetche C, Nassany O, et al.

Sci Rep. 2022 Oct 19;12(1):17504.

[LIRE L'ARTICLE](#)

Changes in Tobacco and Alcohol Consumption in France during the Spring 2020 Lockdown: Results of the Coviprev and Viquop Surveys

Quatremère G, Guignard R, Andler R, Sempé S, Houzelle N, Nguyen-thanh V.

Int J Environ Res Public Health. 2022 Nov 10;19(22):14808.

[LIRE L'ARTICLE](#)

Rapid investigation of BA.4/BA.5 cases in France

Kouamen A-C, Da Cruz H, Hamidouche M, Lamy A, Lloyd A, Castro Alvarez J, et al.

Front. Public Health 10:1006631.

[LIRE L'ARTICLE](#)

Barriers Against and Motivations for Quitting Smoking during the COVID-19 Health Crisis: Results of a Qualitative Study in France

Guignard R, Quatremère G, Pasquereau A, Jartoux C, Salvaing L, Caline G, et al.

Int J Environ Res Public Health. 2022 Oct 11;19(20):13051.

[LIRE L'ARTICLE](#)

An Automated Surveillance System (SurCeGGID) for the French Sexually Transmitted Infection Clinics: Epidemiological Monitoring Study

Ndeikoundam Ngangro N, Pioche C, Vaux S, Viriot D, Durand J, Berat B, et al.

JMIR Form Res. 2022 Oct 25;6(10):e31136.

[LIRE L'ARTICLE](#)

Genomic evolution of SARS-CoV-2 in Reunion Island

Wilkinson DA, Mercier A, Turpin M, Simbi MA, Turpin J, Lebarbenchon C, et al.

Infect Genet Evol. 2022 Oct 26;106:105381.

[LIRE L'ARTICLE](#)

Modelling the end of a Zero-COVID strategy using nirmatrelvir/ritonavir, vaccination and NPIs in Wallis and Futuna

Brault A, Tran-kiem C, Couteaux C, Olié V, Paireau J, Yazdanpanah Y, et al.

Lancet Reg Health West Pac. 2022-11-14;30:100634.

[LIRE L'ARTICLE](#)

Reply to: The role of pets in SARS-CoV-2 transmission: an exploratory analysis

Galmiche S, Charmet T, Mailles A, Fontanet A.

Infection. 2022-11-18;1-3.

[LIRE L'ARTICLE](#)

Aetiological and prognostic roles of frailty, multimorbidity and socioeconomic characteristics in the development of SARS-CoV-2 health outcomes: protocol for systematic reviews of population-based studies

Makovski T, Ghattas J, Monnier Besnard S, Ambrozova M, Vasinova B, et al.

BMJ Open. 2022;11-22;12(11):e063573.

[LIRE L'ARTICLE](#)

Trends and characteristics of attempted and completed suicides reported to general practitioners before vs during the COVID-19 pandemic in France: Data from a nationwide monitoring system, 2010-2022

Pouquet M, Launay T, Rivière M, Chan-chee C, Urbain F, Coulombel N, et al.

PLoS One. 2022;12-15;17(12):e0278266.

[LIRE L'ARTICLE](#)

Évaluation de supports de communication nationaux sur la COVID-19 : recours à une méthode mixte

Pasquereau A, Delamaire C, Guignard R, Bonmarin I, Serry A-J, Nguyen-thanh V.

Santé publique. 2021;6(33): p.835-41

[LIRE L'ARTICLE](#)

2023

Digital contact tracing during the COVID-19 pandemic in France: Associated factors and reasons for non-use

Touzani R, Schultz E, Vandendorren S, Arwidson P, Guillemin F, Bouhnik A, et al.

Int J Med Inform. 2023-01-13;171:104994.

[LIRE L'ARTICLE](#)

Direct impact of COVID-19 by estimating disability-adjusted life years at national level in France in 2020

Haneef R, Fayad M, Fouillet A, Sommen C, Bonaldi C, Wyper G, et al.

PLoS One. 2023-01-24;18(1):e0280990.

[LIRE L'ARTICLE](#)

The burden of COVID-19 in French Guiana: Vaccine-averted deaths, hospitalizations and costs

Nacher M, Vignier N, Rousseau C, Adenis A, Douine M, Basurko C, et al.

Vaccine X. 2023 Apr;13:100271.

[LIRE L'ARTICLE](#)

Estimating COVID-19 vaccine uptake and its drivers among migrants, homeless and precariously housed people in France

Roederer T, Mollo B, Vincent C, Leduc G, Sayyad-Hilario J, (...) Vandendorren S, et al.

Commun Med (Lond). 2023 Feb 20;3(1):30.

[LIRE L'ARTICLE](#)

Vaccine effectiveness and duration of protection of COVID-19 mRNA vaccines against Delta and Omicron BA.1 symptomatic and severe COVID-19 outcomes in adults aged 50 years and over in France

Raissa Tamandjou Tchuem C, Auvigne V, Vaux S, Montagnat C, Paireau J, Monnier-Besnard S, et al.

Vaccine. 2023 Feb 27:S0264-410X(23)00216-5.

[LIRE L'ARTICLE](#)

Emergence and Evolution of the Omicron SARS-CoV-2 Variant in the Island of Martinique

Gbaguidi GN, Aubert L, Schaeffer J, Fagour L, Dubremetz A, Enouf V, et al.

Infect Dis Now. 2023 Mar 1:104690.

[LIRE L'ARTICLE](#)

 Evolution of the incidence of COVID-19 during the first five waves in residents and professionals of nursing homes in Normandy, France

Thibon P, Grenier C, Erouart S, Borgey F, Le Hello S, Martel M.

Aging Clin Exp Res. 2023 Mar 2:1–4.

[LIRE L'ARTICLE](#)

 Parents' depression and anxiety associated with hyperactivity-inattention and emotional symptoms in children during school closure due to COVID-19 in France

Monnier M, Moulin F, Bailhache M, Thierry X, Vandendorren S, Côté S, et al.

Sci Rep. 2023-03-24;13(1):4863.

[LIRE L'ARTICLE](#)

 Impact of non-pharmaceutical interventions, weather, vaccination, and variants on COVID-19 transmission across departments in France

Paireau J, Charpignon M, Larrieu S, Calba C, Hozé N, Boëlle P, et al.

BMC Infect Dis. 2023-03-30;23(1):190.

[LIRE L'ARTICLE](#)

 Place of death in France: impact of the first wave (March-May 2020) of the Covid-19 epidemic

Aldea-Ramos N, Le Strat Y, Fouillet A.

BMC Public Health. 2023 Apr 28;23(1):776.

[LIRE L'ARTICLE](#)

 Stronger impact of COVID-19 in nursing homes of a French Region during the second pandemic wave

Rabilloud M, Elsensohn M-H, Riche B, Voirin N, Bénet T, Porcu C, et al.

J Am Med Dir Assoc. 2023

[LIRE L'ARTICLE](#)

 Mental health of pregnant women during the SARS-CoV-2 pandemic in France: Evolution of self-perceived psychological state during the first lockdown, and anxiety frequency two months after the lockdown ended

Doncarli A, Araujo-Chaveron L, Crenn-Hebert C, Vacheron MN, Léon C, Khireddine I, et al.

PLoS One. 2023 Apr 20;18(4):e0272108.

[LIRE L'ARTICLE](#)

 SARS-CoV-2 testing, infection and places of contamination in France, a national cross-sectional study, December 2021

Vaux S, Gautier A, Soullier N, Levy-Bruhl D.

BMC Infect Dis. 2023 May 3;23(1):279.

[LIRE L'ARTICLE](#)

 Social deprivation and SARS-CoV-2 testing: a population-based analysis in a highly contrasted southern France region

Landier J, Bassez L, Bendiane MK, Chaud P, Franke F, Nauleau S, et al.

Front Public Health. 2023 May 12;11:1162711.

[LIRE L'ARTICLE](#)

 SARS-CoV-2 self-test uptake and factors associated with self-testing during Omicron BA.1 and BA.2 waves in France, January to May 2022

Supplisson O, Charmet T, Galmiche S, Schaeffer L, Chény O, (...), Mailles A, et al.

Euro Surveill. 2023 May;28(18):2200781.

[LIRE L'ARTICLE](#)



Attitudes towards booster, testing and isolation, and their impact on COVID-19 response in winter 2022/2023 in France, Belgium, and Italy: a cross-sectional survey and modelling study

de Meijere G, Valdano E, Castellano C, Debin M, Kengne-Kuetche C, (...) **Noël H**, et al.

Lancet Reg Health Eur. 2023 May;28:100614.

[LIRE L'ARTICLE](#)



Need for improvement of cardiovascular health: a clustering method to identify cardiovascular health profiles

Soyer J, Gabet A, Grave C, Piffaretti C, Verdot C, Salanave B, et al.

Eur J Public Health. 2023 May 31:ckad048.

[LIRE L'ARTICLE](#)



Stronger Impact of COVID-19 in Nursing Homes of a French Region During the Second Pandemic Wave

Rabilloud M, Elsensohn MH, Riche B, Voirin N, **Bénet T**, Porcu C, et al.

J Am Med Dir Assoc. 2023 Jun;24(6):885-891.e3.

[LIRE L'ARTICLE](#)



Reduction of SARS-CoV-2 intra-household child-to-parent transmission associated with ventilation: results from a case-control study

Galmiche S, Charmet T, Madec Y, Rakover A, Schaeffer L, (...) **Mailles A**, et al.

BMC Public Health. 2023 Jun 26;23(1):1240.

[LIRE L'ARTICLE](#)



Emergence, spread and characterisation of the SARS-CoV-2 variant B.1.640 circulating in France, October 2021 to February 2022

Picard G, Fournier L, Maisa A, Grolier C, **Chent S**, Huchet-Kervalla C, et al.

Euro Surveill. 2023 Jun;28(22):2200671.

[LIRE L'ARTICLE](#)

Des articles portant sur la COVID-19 ont été publiés dans le BEH, revue à comité de lecture éditée par Santé publique France, dans une forme classique ou « publication rapide », version mise en place au décours de la pandémie.

La santé mentale des Français face au Covid-19 : prévalences, évolutions et déterminants de l'anxiété au cours des deux premières semaines de confinement (Enquête CoviPrev 23-25 mars et 30 mars-1er avril 2020)
Chan-chee C, Léon C, Lasbeur L, Lecrique J, Raude J, Arwidson P, et al.

Le nombre grandissant de cas et de décès liés au Covid-19 a été à l'origine de la mise en place d'un confinement de la population française à partir du 17 mars 2020...

[**LIRE L'ARTICLE**](#)

Adoption des mesures de prévention recommandées par les pouvoirs publics face à l'épidémie de Covid-19 pendant la période de confinement en France métropolitaine. Enquête CoviPrev, 2020
Lasbeur L, Lecrique J, Raude J, Léon C, Bonmarin I, Du Roscoät E, et al.

Dans le contexte de l'épidémie du Covid-19, dès l'annonce du confinement par le gouvernement le 17 mars, Santé publique France a mis en place un dispositif de surveillance afin de suivre l'adoption des comportements de prévention par la population...

[**LIRE L'ARTICLE**](#)

Surveillance des accidents de la vie courante pendant la période de confinement de la pandémie de Covid-19
Rigou A, Beltzer N, Réseau Enquête permanente sur les accidents de la vie courante.

Depuis la mise en place des mesures de confinement en lien avec la pandémie de Covid-19, les services d'urgences ont observé une diminution des recours aux urgences pour accident de la vie courante (AcVC) des cas peu graves et une augmentation des cas graves, notamment chez les jeunes enfants et les personnes âgées...

[**LIRE L'ARTICLE**](#)

Prise en charge, dépistage et suivi de patients Covid-19 en centre ambulatoire dédié, Val de Marne, avril-juin 2020.

Vaux S, Fischer E, Sainte-rose S, Bialot G, Scheiff C, Ehrstein F, et al.

Du fait de la crise liée à la Covid-19, de la difficulté à prendre en charge des patients suspects d'être infectés par le SARS-CoV-2 dans des cabinets libéraux dans des conditions d'hygiène satisfaisantes pour les médecins et des patients et en l'absence de structure dédiée, un centre ambulatoire spécifique a été créé, en urgence, par un collectif de médecins généralistes...

[**LIRE L'ARTICLE**](#)

Étude de la survenue et de l'évolution de la lombalgie selon la situation de travail pendant le confinement lié à l'épidémie de Covid-19, du 17 mars au 10 mai 2020, en France métropolitaine
Chazelle É, Chan-chee C, Fouquet N.

Avec le confinement mis en place pour lutter contre l'extension de l'épidémie de Covid-19, l'organisation professionnelle de la plupart des Français a fortement été modifiée, avec notamment des interruptions de travail et un déploiement massif du télétravail...

[**LIRE L'ARTICLE**](#)

Covid-19 dans la population vulnérable des quartiers Saint-Jacques et Haut-Vernet de Perpignan : de la détection des premiers cas jusqu'au suivi de la progression de l'épidémie, une surveillance réalisée grâce aux données locales

Simac L, Ledrans M, Catelinois O, Durand C, Guinard A, Josa P, et al.

Une augmentation brutale du nombre de cas et de décès avec un diagnostic de Covid-19 a été observée à Perpignan dès le 13 mars 2020...

[**LIRE L'ARTICLE**](#)

Évaluation précoce de l'impact des mesures de freinage mises en place pour contrôler la deuxième vague de Covid-19 dans 22 métropoles françaises, octobre-novembre 2020

Larrieu S, Spaccaferri G, Pouey J, Calba C, Benet T, Sommen C, et al.

En France, une série de mesures de freinage a été mise en place pour contrôler la deuxième vague de Covid-19, incluant un couvre-feu dans certaines métropoles suivi d'un confinement national...

[**LIRE L'ARTICLE**](#)

Activité physique et sédentarité des adultes pendant la période de confinement lié à l'épidémie de Covid-19 : état des lieux et évolutions perçues (CoviPrev, 2020)

Escalon H, Deschamps V, Verdot C.

Dans le contexte de la pandémie de Covid-19, dès l'annonce du confinement mis en place du 17 mars au 11 mai 2020, Santé publique France a lancé un dispositif de surveillance comportementale (enquête CoviPrev) permettant d'évaluer l'impact du confinement sur la santé de la population...

[**LIRE L'ARTICLE**](#)

Hospitalisations pour Covid-19 au 1er semestre 2020 chez les personnes traitées pharmacologiquement pour un diabète en France

Fosse-Edorh S, Mandereau-Bruno L.

Le diabète a été identifié comme un facteur de risque de formes graves de la Covid-19.

L'objectif de notre étude était d'analyser l'ensemble des hospitalisations pour Covid-19 chez les personnes diabétiques à partir du Système national des données de santé (SNDS) et d'en décrire les principales caractéristiques et les variations territoriales.

[**LIRE L'ARTICLE**](#)

Comportements alimentaires et déterminants de la prise de poids des adultes en France pendant le confinement lié à la Covid-19 : évolutions perçues (CoviPrev, 2020)

Delamaire C, Sarda B, Ducrot P, Verdot C, Deschamps V, Serry A.

Pour freiner la pandémie de Covid-19, un confinement strict a été institué en France du 17 mars au 11 mai 2020, bouleversant la vie quotidienne de la population...

[**LIRE L'ARTICLE**](#)

Évaluation de l'impact perçu du premier confinement (17 mars - 11 mai 2020) sur la santé des enfants et des femmes enceintes vus dans le service de Protection maternelle et infantile (PMI) et dans les crèches de la ville de Paris lors de la pandémie de Covid-19

Carayol M, Berraute E, Jung S, Ledour V, Merle S, Stark A, et al.

Pendant le premier confinement lié à la pandémie de Covid-19 (17 mars-11 mai 2020), le Haut Conseil de la santé publique (HCSP) a alerté sur l'impact éventuel de ce confinement sur le mode de vie des enfants et sur leur santé physique et mentale.

[**LIRE L'ARTICLE**](#)

Description des caractéristiques d'une sélection d'établissements d'hébergement pour personnes âgées dépendantes (Ehpad) et des mesures de contrôle mises en place lors de la survenue de clusters de Covid-19 en région Nouvelle-Aquitaine en 2020

Bernadou A, Noury U, Evain S, Herteau A, Binet C, Chatenet J, et al.

En septembre 2020, une augmentation importante du nombre de clusters de Covid-19 en établissements d'hébergement pour personnes âgées dépendantes (Ehpad) a été signalée à l'Agence régionale de santé Nouvelle-Aquitaine (ARS), avec un grand nombre de cas rapportés.

[**LIRE L'ARTICLE**](#)

Inégalités entre hommes et femmes face au risque d'infection par le virus SARS-CoV-2 durant le confinement du printemps 2020 en France

Neufcourt L, Joannès C, Maurel M, Redmond NM, Delpierre C, Kelly-Irving M.

La distribution sociale de l'infection au SARS-CoV-2 et le rôle du genre ont été largement négligés en France, principalement en raison du manque de données. L'objectif de cet article est d'analyser le risque d'infection au SARS-CoV-2 en fonction du sexe, en étudiant l'influence d'autres dimensions sociales dans cette relation...

[**LIRE L'ARTICLE**](#)

Impact de la vaccination sur la dynamique de l'épidémie de la Covid-19 chez les personnes âgées de 75 ans et plus en Nouvelle-Aquitaine, janvier-mars 2021

Gault G, Bernadou A, Montaufray MA, Filleul L.

Les personnes âgées, très fortement impactées par l'épidémie d'infections à SARS-CoV-2, ont été ciblées prioritairement par la stratégie vaccinale mise en place depuis le début de l'année 2021 en France...

[**LIRE L'ARTICLE**](#)

Couverture vaccinale contre la Covid-19 et impact sur la dynamique de l'épidémie

Vaux S, Blondel C, Platon J, Fonteneau L, Pini A, Hassan E, et al.

Neuf mois après le lancement de la campagne vaccinale contre la Covid-19 en France, plus de 50 millions de personnes ont été vaccinées.

[**LIRE L'ARTICLE**](#)

Évolution des symptomatologies anxieuses et dépressives et leurs facteurs associés chez les actifs occupés en France métropolitaine en 2020

Lesage A, Chan Chee C, Léon C, du Roscoät E.

Des mesures de distanciation sociale plus ou moins strictes ont été mises en place depuis le 17 mars 2020 (date de mise en place du premier confinement) afin de limiter la propagation du SARS-CoV-2.

[**LIRE L'ARTICLE**](#)

Première vague épidémique de SARS-CoV-2 en Nouvelle-Aquitaine : approche descriptive des mesures de contrôle, parcours de soins et respect des mesures barrières, mars-avril 2020

Castor C, Gault G, Larrieu S, Evain S, Siguier A, Ramel V.

L'enquête Score 19, menée en Nouvelle-Aquitaine auprès des foyers familiaux concernés par la Covid-19 lors de la première vague épidémique, avait pour premiers objectifs de décrire les mesures de contrôle mises en place par l'Agence régionale de santé (ARS), l'accès aux soins et le respect des mesures barrières.

[**LIRE L'ARTICLE**](#)

Caractéristiques et parcours vaccinal des personnes en situation de précarité vaccinées contre la Covid-19 sur un lieu de distribution alimentaire à Paris

Ramblière L, Pisarik J, Prioux M, Cagan B, Rasli S, Giron S, et al.

Afin de faciliter l'accès à la vaccination contre la Covid-19 des populations précaires, le Samusocial de Paris a mis en place des actions de vaccination sur un site de distribution alimentaire dans le nord parisien.

[**LIRE L'ARTICLE**](#)

Investigation de cas groupés d'infections à SARS-CoV-2 dans la station balnéaire de Quiberon, Bretagne, juillet-août 2020

Picard G, Angot É, Conan G, Demillac R, Le Tertre A.

Le 21 juillet 2020, des cas groupés de Covid-19 ont été signalés chez de jeunes adultes.

[**LIRE L'ARTICLE**](#)

Covid-19 : troisième cause de décès en France en 2020, quand les autres grandes causes baissent

Fouillet A, Ghosn W, Naouri D, Coudin E.

L'année 2020 a été marquée par la pandémie de Covid-19, qui a eu des effets directs et potentiellement indirects sur la mortalité.

[**LIRE L'ARTICLE**](#)

Structuration évolutive d'une surveillance multi-sources pour répondre à une infection émergente : l'expérience française face à la Covid-19

Figoni J, Campèse C, Spaccaferri G, Rolland P, Caserio-Schönemann C, Che D.

L'émergence de la Covid-19 a confronté l'ensemble des pays à de nombreux défis, tant sanitaires qu'économiques, sociétaux et politiques.

[**LIRE L'ARTICLE**](#)

Première vague épidémique de SARS-CoV-2 en Nouvelle-Aquitaine : facteurs associés à la gravité, à l'anosmie et/ou l'agueusie et à la transmission intra-foyer, mars-avril 2020

Gault G, Evain S, Herteau A, Siguier A, Vilain P, Trouvain K, et al.

L'enquête Score 19 a été menée en Nouvelle-Aquitaine auprès des foyers familiaux touchés par la Covid-19 entre mars et avril 2020 lors de la première vague épidémique.

[**LIRE L'ARTICLE**](#)

la Santé en action

Des articles portant sur la COVID-19 ont été publiés dans la Santé en action, revue consacrée à la prévention, l'éducation et la promotion de la santé éditée par Santé publique France.



La Réunion, Mayotte : le point sur la pandémie Covid-19

Yemadje-Menudier L, Youssouf H, Lemorton C.

La Santé en action. 2020-07-07;(452):3-4.

[LIRE L'ARTICLE](#)



Mieux tenir compte du facteur humain dans les décisions qui orientent l'action en santé publique

Queruel N, Desenclos J.

La Santé en action. 2020-10-27;(453):8-9.

[LIRE L'ARTICLE](#)



La réflexion éthique, un outil pour justifier les actions de santé publique au Québec

Désy M, St-pierre J.

La Santé en action. 2020-10-27;(453):13-15.

[LIRE L'ARTICLE](#)



Le droit à l'avortement en temps de crise sanitaire

Gelly M;

La Santé en action. 2020-10-27;(453):29-31.

[LIRE L'ARTICLE](#)



Migrants en centres d'hébergement : impact de la Covid-19 et adhésion aux mesures de prévention

Longchamps C, Ducarroz S, Crouzet L, El Aarbaoui T, Allaïre C, Colleville A, et al.

La Santé en action. 2021-04-23;(455):20-23.

[LIRE L'ARTICLE](#)



Des étudiants étrangers en grande précarité en ces temps de Covid-19

Queruel N, Sy A.

La Santé en action. 2021-04-23;(455):41-43.

[LIRE L'ARTICLE](#)

L'impact du mal-logement sur la santé, vu depuis les permanences d'accès aux soins de santé (Pass)

Laporte R, Bertini B, Schwartz M, Tardieu P.

La Santé en action. 2021-11-11;(457):16-19.

[LIRE L'ARTICLE](#)

Croix-Rouge française en Guyane : Des équipes mobiles pour aller vers les publics précarisés

Géry Y, Renollet B.

La Santé en action. 2022-02-01;(458):42-43.

[LIRE L'ARTICLE](#)

Accompagnement des gens du voyage face à la pandémie de Covid-19 : l'apport de la médiation en santé

Richard E, Vandendorren S.

La Santé en action. 2022-08-06;(460):37-38.

[LIRE L'ARTICLE](#)

Micro-maisons mobiles à Lyon métropole : Un répit pour les femmes et enfants sans solution de logement

Géry Y, Prime E.

La Santé en action. 2021-11-11;(457):41-42.

[LIRE L'ARTICLE](#)

L'aller-vers permet de faire face aux situations de décrochage social et de réduire le non-recours aux droits

Géry Y, Avenel C.

La Santé en action. 2022-02-01;(458):8-9

[LIRE L'ARTICLE](#)

Personnes sans domicile : revue des pratiques et des connaissances sur le recours à la vaccination Covid-19

Shah J, Vandendorren S, groupe Mobilisation des connaissances

La Santé en action. 2022-05-31;(459):47-49.

[LIRE L'ARTICLE](#)

Irlande : À Dublin, des personnes sans abri hébergées en logements individuels durant la pandémie Covid-19

Shah J, O'carroll A.

La Santé en action. (459):50-51.

[LIRE L'ARTICLE](#)

Île de Cayenne, Guyane : Des médiateurs en santé pairs issus des communautés accompagnées

Flaux F, Jacoud E, Trepon A.

La Santé en action. 2022-08-06;(460):41-42.

[LIRE L'ARTICLE](#)

Avis du Haut Conseil de la santé publique relatif à l'impact de la Covid-19 sur la santé mentale

Michel P, Franck N, Cambon L, Euller-ziegler L.

La Santé en action. 2022-11-23;(461):7-9.

[LIRE L'ARTICLE](#)

Santé mentale : les recommandations de l'Organisation mondiale de la santé

Dannet A, Sebbane D.

La Santé en action. 2022-11-23;(461):10-11.

[**LIRE L'ARTICLE**](#)

Protéger sa santé mentale

Franck N.

La Santé en action. 2022-11-23;(461):16-18.

[**LIRE L'ARTICLE**](#)

Covid-19 : L'irruption de la santé mentale dans le débat public

Moreau D.

La Santé en action. 2022-11-23;(461):19-21.

[**LIRE L'ARTICLE**](#)

Questions éthiques : La pandémie de Covid-19 a rendu visible la stigmatisation dont sont victimes les personnes présentant des troubles psychiques

Géry Y, Claudot F.

La Santé en action. 2022-11-23;(461):22-24.

[**LIRE L'ARTICLE**](#)

Psychiatrie et santé mentale demeurent au second plan dans notre société

Quéruel N, Franck N.

La Santé en action. 2022-11-23;(461):25-27.

[**LIRE L'ARTICLE**](#)

La santé mentale des soignants en période de pandémie Covid-19

Estepa H, El-hage W.

La Santé en action. 2022-11-23;(461):28-30.

[**LIRE L'ARTICLE**](#)

Déterminants sociaux associés à la détresse psychologique des enfants et des adolescents en pandémie de Covid-19

Estevez M, Vandentorren S, Oppenchaïm N, Rezzoug D, De Stefano C, Khireddine-medouni I.

La Santé en action. 2022-11-23;(461):31-33.

[**LIRE L'ARTICLE**](#)

Face à la Covid-19 : Enfants et adolescents font preuve de résilience s'ils sont accompagnés par leur famille, l'école ou des professionnels

Quéruel N, Consoli A.

La Santé en action. 2022-11-23;(461):34-35.

[**LIRE L'ARTICLE**](#)

Covid-19 : Une mortalité à l'hôpital plus élevée pour les personnes atteintes de schizophrénie

Quéruel N, Fond G.

La Santé en action. 2022-11-23;(461):36-37.

[**LIRE L'ARTICLE**](#)

Ehpad : comment professionnels et résidents ont vécu la première vague de la Covid-19

Launay P, Balard F.

La Santé en action. 2022-11-23;(461):38-39.

[**LIRE L'ARTICLE**](#)

Les habitants qui avec la Covid expérimentent le mal-être psychique poussent désormais notre porte

Quéruel N, Demassiet V.

La Santé en action. 2022-11-23;(461):40-41.

[**LIRE L'ARTICLE**](#)

Éviter les ruptures dans les parcours d'accompagnement des personnes vivant avec un trouble psychique

Géry Y, Plantier S.

La Santé en action. 2022-11-23;(461):42-43.

[**LIRE L'ARTICLE**](#)

Conseils locaux de santé mentale face à la Covid-19 : lorsque soignants, élus, usagers et aidants font cause commune

Pastant F, Lacombe L, Chaparoff S, Sebbane D, Roelandt J.

La Santé en action. 2022-11-23;(461):44-45.

[**LIRE L'ARTICLE**](#)

Pendant la Covid-19, le conseil local de santé mentale de Lyon va vers les personnes en souffrance psychique

Quéruel N, Denisot M.

La Santé en action. 2022-11-23;(461):46-47.

[**LIRE L'ARTICLE**](#)

Le bulletin Santé Publique France dans les revues scientifiques est un bulletin réalisé par l'Unité de valorisation scientifique de la Direction de la communication et du dialogue avec la société.

[Contact: Revuescientifiques@santepubliquefrance.fr](mailto:Revuescientifiques@santepubliquefrance.fr)

Pour en savoir plus sur la COVID-19, cliquez [ici](#).

Vous souhaitez vous abonner au bulletin, inscrivez-vous sur le site :
<https://www.santepubliquefrance.fr/newsletters/abonnements-aux-newsletters>